

Public University
Web Accessibility Evaluation
2006

Evaluation Methods, Tools, Outcomes

| Institution | Standard | | | Evaluation Plan | | | Evaluation Tools | | | | | | | Outcome |
|-------------|----------|------|------|-----------------|--------|-----------|------------------|-----|--------------|--------------------|-----|--------------------|------|---|
| | 508 | W3C | IWAS | Home page +1 | Top 25 | Other | Webxact | FAE | Cynthia Says | W3C Validation Svc | TAW | W3C CSS Validation | WAVE | |
| CSU | current | | goal | X | | | X | | | | | | | all comply except pattern of missing author, keywords & description |
| EIU | | X | | | X | | X | | | | | | | 8 meet priority 1 status, 1 meets priority 2, remainder do not meet any priority status |
| GSU | current | goal | | X | | | | X | | X | | X | | several problem areas identified incl. navigation bars, section headings, form controls, device independence, dynamic content, text styling |
| ISU | X | X | | | X | | | | | X | | | | 23/25 passed |
| NEIU | current | goal | goal | X | | hi-use | X | | | | | | | several problem areas identified incl. navigation bars, titles, text equivalency |
| NIU | | | X | | X | | | | | X | | | X | 14 with minor problems, 2 with moderate, 5 with major |
| SIUC | X | | | | X | | X | | | | | | | 23/25 passed |
| SIUE | X | X | | X | | | | X | | | | | | 87% in new content management system comply, those not in new CMS varied |
| UI system | X | X | | X | | | | X | | | | | | navigation is a problem area |
| UIC | X | X | X | | | 27 hi-use | | X | | | | | | several problem areas identified incl. navigation, titles, text equivalency |
| UIS | | X | | X | X | | | | | X | | X | | approx. 1/2 with few errors, remaining had > 10 errors |
| UIUC | X | X | | X | | hi-use | | X | | | | | | several problem areas identified incl. navigation, text equivalency |
| WIU | | | X | X | | | | X | X | X | X | | | minor issues |